

SOLUTIONS PACKAGING

— ALL TYPE OF PACKAGING MACHINES & MATERIAL —

- › Band Sealer
- › Hand Sealer
- › Induction Sealer
- › Strapping Machine
- › Hand Impluse Sealer
- › Batch Coding Machine
- › Pet Straping Tool
- › Automatic Strapping Machine
- › Shrink Tunnels
- › PVC Curtain
- › Cartoon Sealing Machine
- › Stretch Wrapping Machine

SOL PACK®

SOLUTIONS PACKAGING

ALL TYPE OF PACKAGING MACHINES & MATERIAL

We Are Also Deal In
Printed Tapes, Courier Bags,
PP Strap, Printed Pouches
D-Cut Bags, Printed Cup
Standy Pouch, Shrink Lables
Your Own Design



Vacuume Storage Bags



Printed Tape For
Your Own Logo



Printed PP/ Pet Strap
Your Own Logo



Printed Courier Bags
Your Own Logo



Printed Pouch In FFS Machine Roll
Your Own Logo



Printed Pouch Non Woven D- Cut LD Shopping
Bags Your Own Logo



Printed Dahi Cup
Your Own Logo



Printed Pouch Standy Spout / Doy Bag
Pet/PE,Pet/MPET/PET
Bags Your Own Logo



Printed PVC,Pet G Shrink Lables
Your Own Logo



Printed Pouch Pet/PE,Pet/MPET
/PET, CPP/BOPP Center Seal
& Side Seal Bags Your Own Logo

Sealers, Sealing Machines and Band Sealers

We Provide Printed Pouches According to Customer Requirements



SPS-001
Hand Portable Impulse & Direct Heat Sealer
Sealing Length 200/250/300/400/500mm
Sealing Width 2mm, 12mm



SPS-002, 003
Foot Operated Impulse Sealer & Direct Heat Sealer
Sealing Length 300 to 900mm
Sealing Width 3mm to 12mm



SPS-003.1
Foot Operated Impulse Sealer
Sealing Length 1000 to 1400mm
Sealing Width 3mm to 5mm



SPS-004
Auto Impulse Table Top Sealer
Sealing Length 450 to 600mm
Sealing Width 8mm to 10mm



SPS-005(MS)(A)
Continuous Band Sealer (MS Body)
Sealing Width 4-12 mm
Capacity 0-12Meters/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs



SPS-005(SS)(A)
Continuous Band Sealer (SS Body)
Sealing Width 4-12 mm
Capacity 0-12Meters/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs



SPS-005.1(MS)(Heavy Duty)
Continuous Band Sealer (With Emergency Stopper)
Type of Body MS Body
Sealing Width 4-12 mm
Capacity 0-12Meters/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs



SPS-005.1(SS)(Heavy Duty)
Continuous Band Sealer (With Emergency Stopper)
Type of Body SS Body
Sealing Width 4-12 mm
Capacity 0-12Meters/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs



SPS-006
Vertical Band Sealer (MS & SS Body)
Sealing Width 4-12 mm
Capacity 0-12Mtr/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs
(Available in all types and models)



SPS-006(PC)
Solid Ink Coding Band Sealer
Type of Body MS Body
Sealing Width 4-12 mm
Capacity 0-12Mtr/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs
(Also Available in Vertical Model)



SPS-07
Band Sealer with Air Filling
Sealing Width 4-12 mm
Capacity 0-12Mtr/Min.
Temperature Range 0-300°C
Max. Conveyor Loading 3 Kgs
(Suitable for Chips Pouch)



SPS-041
Automatic Vertical Film Sealing Machine
Sealing Width 15mm
Capacity 0-13 Mtr/Min.
Temperature Range 0-300°C
Packing Height 50-800mm (Can Adjust)
Max. Conveyor Loading 20 Kgs



SPS-09
Pneumatic Sealer
Sealing Width 8-10mm
Capacity 02-10 time/min.
Temperature Range 0-300°C
Max. Conveyor Loading 50 Kgs
(Require Compressor Supply)

SOL PACK®

SOLUTIONS PACKAGING

ALL TYPE OF PACKAGING MACHINES & MATERIAL

All Type Pet Strap & PP Strap
Available Printed & Plain



Pet Strapping Tool



Professional Manual
PET/PP Strapping Tool



Professional Pneumatic
Welding Tool



Professional Electric Strapping Tool
(include battery)



Professional Manual Steel
Strapping Tool

Pet Strap Clip

PP Strapping Machines (Semi - Automatic & Automatic)



SPS-10.1(Clutch Type Model)
Semi Automatic Strapping Machine
(Standard Style Clutch Type Model)
Strapping Speed 1.8sec./strap
Packing Size Any Size
Strap Size 6-15mm



SPS-10L3
Semi Automatic Strapping Machine
(Standard Style Low Desk Type)
Strapping Speed 1.8sec./strap
Packing Size Any Size
Strap Size 6-15mm



SPS-10.1LD(Clutch Type Model)
Semi Automatic Strapping Machine
(Standard Style Low Desk Type)
Strapping Speed 1.8sec./strap
Packing Size Any Size
Strap Size 6-15mm



SPS-11
Semi Automatic Strapping Machine
(With Japanese Technology)
Strapping Speed 0.53sec./strap
Packing Size Any Size
Strap Size 5-15mm



SPS-11T
Semi Automatic Strapping Machine
(With Japanese Technology)
Strapping Speed 0.53sec./strap
Strap width 5-15mm
Machine Weight 50Kg



SPS-11S
Semi Automatic Strapping Machine
(With Japanese Technology)
Strapping Speed 0.53sec./strap
Strap width 5-15mm
(For Currency, Papers & Standard Blender)



SPS-12
Fully Automatic Strapping Machine
Strapping Speed: 2.0sec./strap
Packing Size Any Type
Strap Size 8-19mm
Strapping Tension 48-700N Adjustable



SPS-12.1 PLC Controlled
Fully Automatic Strapping Machine
(With Japanese Technology)
Strapping Speed 1.8sec./strap
Packing Size Any Type
Strap Size 8-15mm
Strapping Tension 48-700N Adjustable



SPS-DBA-130A
Pallet Strapping Machine
(Standard Style)
Strapping Speed 2.0sec./strap
Strap Size 9-15mm
Strapping Tension 100-700N (adjustable)
(For PP Strapping for Pallets)

No Need To Go Away, Shop 24 Hours In A Day :: www.packingindia.com

M : +91-93566-25927, +91-93566-25929

SOL PACK®

SOLUTIONS PACKAGING

ALL TYPE OF PACKAGING MACHINES & MATERIAL

All Type PVC Shrink Film
Available Printed & Plain
All Sizes From 30mm to 700mm
Also Provide Printed Shrink Lables

Shrink Tunnels



Printed Lable



PVC Shrink Film



SPS-13
Shrink Packing Machine
Tunnel Size:LxWxH 600x200x150mm
Temperature 0-300°C
Power Consumption 3KW
Running Load 2KW



SPS-13.1
Shrink Packing Machine
Tunnel Size:LxWxH 600x300x200mm
Temperature 0-300°C
Power Consumption 3KW
Running Load 2KW



SPS-14
Shrink Packing Machine
(Without Stand)
Tunnel Size:LxWxH 800x400x200mm
Conveyor Speed 0-10m/min
Power Consumption 5KW
Running Load 3KW



SPS-14
Shrink Packing Machine
(With Stand)
Tunnel Size:LxWxH 800x400x200mm
Temperature 0-300°C
Power Consumption 5KW
Running Load 3KW



SOLPACK US-14
Thermal Shrink Packing Machine
Tunnel Size 830x400x200mm
Shrink Product Size 380x190mm
Machine Weight 120Kg
Running Load 3KW



SPS-15
Shrink Packing Machine
Tunnel Size:LxWxH 800x450x250mm
Packing Speed 4-10 packs/min
Power 220V/50Hz-7.5KW
Running Load 3.5KW



SPS-15.1
Shrink Packing Machine
Tunnel Size:LxWxH 1200x450x250mm
No of Heaters 5 Pcs of 20" Length
Power 220V/50Hz-7.5KW
Running Load 3.5KW
For PE Shrink Packing



SPS-15.2
Shrink Packing Machine
Tunnel Size:LxWxH 800x450x400mm
No of Heaters 5 Pcs of 20" Length
Power 220V/50Hz-7.5KW
Running Load 4KW
For PE Shrink Packing



Thermal Model Solpack US-15
Tunnel Size:LxWxH 830x450x250mm
Conveyor Speed 0-10m/min
Power 220V/50Hz-6KW
Running Load 3.5KW



SPS-16(Specially for PE Film)
Shrink Packing Machine
Power supply 3Phase 380V/50-60Hz
Conveyor speed 0-10m/min
Tunnel size 1200x500x380mm
Machine weight 350kg
Power 18KW
Running Load 12KW



Other Models for PE Film Shrink Packing Machine
Chamber Size 1200x450x350mm
Chamber Size 1500x500x460mm
Chamber Size 1800x600x400mm
Chamber Size 1500x600x460mm
Chamber Size 1500x600x460mm
(Custom Model Can be made according to customer's requirement)

No Need To Go Away, Shop 24 Hours In A Day :: www.packingindia.com

M : +91-93566-25927, +91-93566-25929

Poly Oly Fin (POF) Shrink Film
Center & Side Fold Available
Size From 150mm to 750mm
Also Provide POF Shrink Pouches



POF Shrink Film

L-Bar Sealer For Shrink Packaging Machine



SPS- 18
L-Type Sealer Manual
Max Sealing 550x350mm
Heating Time 0-2Sec.
Capacity 8-12 packs/min

SPS- 17(Without Conveyor)
Shrink Packing Machine
Max Sealing 500x450mm
Power 1kw,220V/50-60Hz
Machine Weight 80 KG

SPS- 19
2 in 1 Shrink Packager
Max Packing Area 550x400x300mm
Heating Time 0-2Sec.
Capacity 500-800 packs/hr



SPS- 20+SPS-14 OR SPS-15
Shrink Packing Machine
with Semi Auto L-Type Sealer
Tunnel Size:LxWxH 800x400x200mm
Sealing Dimension 500x450
Capacity Loading 25KG



SPS- 20.1+SPS-14 OR SPS-15
Shrink Packing Machine
with Pneumatic L-Type Sealer(Compressor Supply Extra)
Tunnel Size:LxWxH 800x400x200mm
Sealing Dimension 500x450
Capacity Loading 25KG



Model	QL5545-1	BS-D4520
Type Of Model	Fully Automatic L-TYPE Sealer	Heavy Duty Shrink Tunnel
Max packing size	500×400×120mm	450×200mm
Max sealing size	550×450mm	450×200mm
Capacity	0-25 pcs/min	0-15 m/min
Power	1.30 KW	8.5 KW
Machine weight	320 KG	210KG

SOL PACK®

SOLUTIONS PACKAGING

ALL TYPE OF PACKAGING MACHINES & MATERIAL

All Type Aluminum & Induction Foil
For HDPE & Pet Jars
Available Printed & Plain



For Dates
Paneer & Meat
Pouches



Induction Sealing & Vacuum Packing Machines



SPS-025
Aluminum Foil Induction Sealer
Sealing Diameter: 20-100mm
Capacity: 10-50 seals/min
Voltage: 220V 50HZ/60HZ
Machine Weight: 5 KG



SPS-025.1
Aluminum Foil Induction Sealer
Sealing Diameter: 20-130mm
Capacity: 10-50 seals/min
Voltage: 220V 50HZ/60HZ
Machine Weight: 6 KG



SPS-034
Continuous Induction Sealer with Conveyor
Sealing Diameter: 10-70mm
Capacity: 12-30pcs/min.
Power: 220V 50-60HZ
Power Consumption: 500 Watts



SPS-024B
Continuous Induction Sealer Air Coded
Sealing Diameter: 30-130mm
Production Cap: 0-12mm/min
Power Supply: 220V 50-60HZ



SPS-043
Hand Vacuum Sealer
Voltage: 220V 50HZ
Sealing Length: 40-280mm
Vacuum: 0.35Mpa
Machine Weight: 3 KG



SPS-042
Vacuum Packing Machine Table Top Sealer
Single & Double Bar
Chamber Size: LxWxH-320x360x250mm
Capacity: 1-4PCS/Min.



SPS-034
Vacuum Packing Machine Single Trolley Model
Double Bar With & Without Gas Filling
Chamber Size: LxWxH-420x440x115mm
Chamber Size: 2-10mm
(Gas Filling Model is also Available)



SPS-034.500
Vacuum Packing Machine Single Trolley Model
Double Bar With & Without Gas Filling
Chamber Size: LxWxH-320x340x115mm
Also available in 600 & 800mm Model
(Gas Filling Model is also Available)



Single Chamber 600
Stainless-steel vacuum chamber
Capacity: 40m³/h
Cycle time: 10-40sec.
Power: 1.5KW
Machine size: 600x580x960mm
(Gas Filling Model is also available)



Vacuum Pouches



SPS_35
Vacuum Packing Machine Double Chamber Model
Chamber Size: 570x540x118mm
Machine Size: 1350x850x960mm
Capacity: 4-8pcs/min
Also available in 600 & 800 mm model Double Chamber
(Gas Filling Model is also available)
Also Available in 400,500mm
Single Phase & Three Phase



Double Chamber 600
Stainless-steel vacuum chamber
Chamber size: 540x670x50mm
Capacity: 40m³/h
Cycle time: 10-40sec.
Machine size: 750x705x90mm
Also available in 600 & 800 mm model Double Chamber
(Gas Filling Model is also available)



DZ600W
Vertical Vacuum Packaging Machine
Power Supply: 220-240V
Vacuum Pump Power: 0.75KW
Sealing-Bar Size: 600x10mm
Working Table Size: 600x400mm
Packing Speed: 1-3times/min



DZQ600
External Vacuum Model
Power Supply: AC380V/50Hz
Vacuum Pump Power: 750W
Sealing-Bar Size: 600-1000(L)x8-10(W)mm
Vacuum Pump Stroke Vol: 20m³/h

No Need To Go Away, Shop 24 Hours In A Day :: www.packingindia.com

M : +91-93566-25927, +91-93566-25929

SOL PACK®

SOLUTIONS PACKAGING

ALL TYPE OF PACKAGING MACHINES & MATERIAL

All Type Bopp Tape Available
Plain & Printed Upto
8 Colour



Carton Sealing / Taping Machine



HOT SELL

**SPS-23(Standard Model)
Carton Sealing/Taping Machine**
Width Of Tape 36mm,48mm,50mm,60mm
Max. Packager Size W500*H600mm
Min. Packager Size W150*H120mm
Machine Size 1630*800*1330mm
Also available in 72mm Tape Size



**SPS- 23.1 (Pneumatic)
Carton Sealing/Taping Machine**
Capacity Upto 18mtr /min
Width of Adhesive Tape 36,48,60mm
Max. Sealing Size 500x600mm
Min. Sealing Size 150x90mm
(Require Compressor Supply)



**AS-523 (Side Belt Drive)
Automatic Flaps Fold & Bottom Sealer**
Conveyor Speed 20m/min
Max. Sealing Size 600x600mm
Min. Sealing Size 150x110mm
Width of tape 38mm, 48mm, 50mm, 60mm



**AS623 (Stainless Steel Model)
Semi-Automatic Carton Sealer**
Conveyor Speed 18m/min
Width Of Tape 36mm,48mm,60mm
Machine Size 1000*900*1300mm
Machine Weight 160kg



**FX-AT5050
Automatic Flaps Fold & Bottom Sealer**
Conveyor Speed 30boxes/min
Max. Sealing Size 500x500mm
Min. Sealing Size 120x120mm
Power Supply 240V/50-60Hz
(Require Cressor Supply)



**FX-AT5050B (Fully Automatic)
Carton Sealer & Auto Flap**
Conveyor Speed 0-15m/min Adjustable
Max. Sealing Size 700x480x480mm
Min. Sealing Size 130x130x130mm
Width of tape 48mm, 50mm, 60mm
(Require Air Compressor)



**A5723
Automatic Carton Corner Sealer
(with 90° Push Conveyor)**
Conveyor Speed 6-10boxes/min
Width of Adhesive Tape 36,48,50,60mm
Max. Sealing Size 500x500x500mm
Min. Sealing Size 320x200x180mm
(Require Compressor Supply)

Automatic Bottle Carton Packaging Machine



**APL-CSS01
Automatic Bottle Carton Packaging Machine**
CES5050 Carton Erector & Bottom Sealer 1Unit
RCM/D Motor drive roller conveyor 1Unit
AFB Automatic carton filler 1Unit
FX-AT5050 Automatic Top Flap Carton Filler 1Unit

Optional
AP8060B Automatic Strapping Machine With Belt drive 1Unit
RC1M/V 90 Degree push conveyor/90 1Unit
RC2M/B Belt...drive roller conveyor 1Unit
AP8060A Automatic Strapping Machine 1Unit
RC2M Non...drive roller conveyor
(Require Compressor Supply)

No Need To Go Away, Shop 24 Hours In A Day :: www.packingindia.com

M : +91-93566-25927, +91-93566-25929



Stretch Wrapping Machines & Conveyors



SPS-21.1
Carton Wrapping Machine
Wrapping Size 600x600x400mm
Turn Table Loading 100kg
Top Plate Device Pneumatic
Machine Weight 250kg



SPS-21
Pallet Stretch Wrapping Machine
Wrapping Size 500-1200(L)x500-1200(W)mm
Turn Table Diameter 1500-1650mm
Wrapping Height 1800mm
Power Supply 220v 50HZ 1.23KW



SPS-YK1650FT-C5
Window (Door) Wrapping Machine
Wrapping Size 500-1200(L)x500-1200(W)mm
Wrapping Material LLDPE
Turn Table Weight Capacity 3000kg
Turn Table Height 65mm



SPS-XL-01
Luggage Wrapping Machine
Turn Able Loading 100kg
Working Efficiency 20-40 Pcs/hour
Wrapping Size (400-800)x(180-350)x(300-600)mm
Turn Able Capacity 20 r/min



SPS-YK2000FZ-PL
Online Pallet Wrapping Machine With Conveyor
Wrapping Size 500-1200(L)x500-1200(W)mm
Turn Table Weight Capacity 2000kg
Turn Table Speed 0-12rpm
Turn Table Height 550mm



SPS-YK5455
Horizontal Stretch Wrapper
Ring Inside Dia 0-450mm
Max Wrapper Size 3000(L)x400(W)x300(H)mm
Packing Ability 40-60 Pcs/hour
Ring Rotation Speed 0-30 rpm(max)



SPS-YK650W
Coil Wrapping Machine
Outer Dia 300mm-540mm
Packing Speed 20-35 Second/Pcs
Coil Width 96-220mm
Overlap Layer Adjustable 50%-10%



SPS-IJC
Inkjet Printer Conveyor
Body Type Complete SS Body
Size Of Conveyor 200x1500mm
Loading Weight 25KG
Variable Speed



SPS-RC1M
Non Drive Roller Conveyor
Conveyor Speed Adjustable
Conveyor Speed 600-720carton/min
Conveyor Type Roller Type
Width of Conveyor 600mm
Length of Conveyor 1000 mm



SPS-RC1M
Extensible Conveyor
Conveyor Speed Adjustable
Close Length 1 mtr
Height Adjustable 600-900 mm
Length of Conveyor Extendable 3mtr



SPS-RC1M/V90
90° Push Conveyor
Type of Body Complete Carbon Steel
Conveyor Speed Adjustable
Roller Stainless Steel
Power Supply 220-240V/50-60Hz
(Require Compressor Supply)



SPS-RC2M/D
Motor Drive Roller Conveyor
Type of Body Complete S. S. Body
Conveyor Speed Adjustable
Conveyor Type Belt Type
Power Supply 220-240V/50-60Hz

Skin/Blister Packaging & Batch Coding Machines



SPS-022
Blister / Skin Packing Machine
Packing Area 390x540mm
Packing speed 50-60 Pcs/hour
Film Width 450mm
Packing Material Skin Packing Film



SPS-450
Hand Wrapping Machine



SPS-044
Manual/ Semi Automatic / Auto Film Feeding Cup Sealing Machine
Capacity 700 Cups/hr
(Also available in Semi Auto/Automatic Model)



SPS-28
Capping Machine Multipurpose For Bottles
Cap Size 20-35mm
Bottle Height 20-350mm
Capacity Upto 1000 Bottles/hour
Power 220V/50Hz-750W
(For PET and Glass Bottles)



SPS-045
Hot Code Printer Manual
Printing Speed 20-40 pcs/min
Temperature 0°-200° C
Available in 3 & 5 lines



SPS-026
Hot Code Printer Manual
Printing Speed 20-70 Pcs/min
Temperature 0°-200° C
Available Upto 4 lines



SPS-026-OC (For FFS Machines)
Online Hot Code Printer Motorized
Printing Speed 20-120 time/ min.
Temp 0°-300° C
Printing Area Width Upto 3 lines
Power 220V/50Hz-150W



SPS-027
Continuous Dry Ink Coding Machine
Printing Speed 300 Pcs/min.
Temperature 0°-200° C
Printing Area Width 30-300mm
Power 220V/50Hz-80W



SPS-027.1
Continuous Dry Ink Coding Machine Heavy Duty
Printing Speed 150 Pcs./min.
Temp 0°-200° C
Printing Area Width Upto 10 lines max.
Word Size 2.5mm
Power 220V/50Hz-80W



SPS-027-OC(For FFS Machine)
Online Continuous Dry Ink Coding Machine
Printing Speed 20-200 Pcs./min.
Temp 0°-200° C
Printing Area Width Upto 450mm
Power 220V/50Hz-200W



SPS-30
Pad Printer
Power Supply 110V 220-240/50-60Hz 1Phase
Printing Speed 0-60 times/min
Printer Height 0-300mm
Mould Size 85x175mm
Machine Weight 40kg
Machine Size 600 x 380 x 610mm



Inkjet Continuous Printer
1. Printing Line: 1-4lines
2. Printing Speed: 4m/s(5*7 single line)
3. Printing Mode: Auto, Photocell, Encoder, Length Counter
4. Printing Times: Once or many times after sense once (photocell only)

Spare Parts And Consumable Parts Also Available



Hot Ink Roller



Hot Coding Machine Ribbon



Teflon Belt



GEAR BELTS FOR BAND SEALER

Gear Belt



Conveyor Belt



Teflon Conveyor Belt



Cooling Fan



Die For Manual Coder



Heater For Band Sealer



On/ Off Switch



Pedal To Pin



Black Conveyor Roller



On / Off Switches



Batch Coding Machine Brass Letter



Temperature Controller

**SHRINK TUNNEL
ALL PARTS
STRAPPING MACHINE
ALL PARTS
Available Here**

Hand Sealer

Today Deal



FREE SHIPPING

Tape Dispenser

Today Deal



FREE SHIPPING

Brown Transparent Tape

Today Deal



FREE SHIPPING

Transparent Tape

Today Deal



FREE SHIPPING

Hand Trolley

Today Deal



FREE SHIPPING



Poly Bags & Aluminum Pouches



Packaging Machines



Shipping Supplies



Material Handling Equipment



Food Agro Division & Restaurant Equipment



General Items

Buy Online Packaging Material, packaging Machine & Material Handling Equipments

India Office:

SOLUTIONS PACKAGING

546, Upstairs Saluja Plastic, Gill Road, Ludhiana-03, (Pb) INDIA

Kindly visit us at : www.packingindia.com buy@packingindia.com